

L Number	Hits	Search Text	DB	Time stamp
5	1051	(235/\$.ccls. 359/\$.ccls.) and (read\$4 or scan\$4 or decod\$4) with (barcode or "bar code" or indicia or "machine readable") same (path\$4 or guid\$4 or channel\$4 or separat\$4 or tunnel) with (beam or light or illuminat\$4) same (spin\$4 or deflect\$4 or rotat\$4 or reflect\$4)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 13:28
7	1345	359/196.ccls. 359/199.ccls. 359/200.ccls. 359/226.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/07/09 14:05
6	215	(235/\$.ccls. 359/\$.ccls.) and (read\$4 or scan\$4 or decod\$4) with (barcode or "bar code" or indicia or "machine readable") same (path\$4 or guid\$4 or channel\$4 or separat\$4 or tunnel) with (beam or light or illuminat\$4) same (spin\$4 or deflect\$4 or rotat\$4 or reflect\$4) same (housing or body or chasis)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 13:27
8	297	(235/\$.ccls. 359/\$.ccls.) and (read\$4 or scan\$4 or decod\$4) with (barcode or "bar code" or indicia or "machine readable") same (path\$4 or guid\$4 or channel\$4 or separat\$4 or tunnel) with (beam or light or illuminat\$4) with (through or enter) same (spin\$4 or deflect\$4 or rotat\$4 or reflect\$4)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 13:29
9	303	(235/\$.ccls. 359/\$.ccls.) and (read\$4 or scan\$4 or decod\$4) with (barcode or "bar code" or indicia or "machine readable") same (path\$4 or guid\$4 or channel\$4 or separat\$4 or tunnel) with (beam or light or illuminat\$4) with (through or enter\$4) same (spin\$4 or deflect\$4 or rotat\$4 or reflect\$4)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 13:34
10	762	(235/\$.ccls. 359/\$.ccls.) and (read\$4 or scan\$4 or decod\$4) near4 (barcode or "bar code" or indicia or "machine readable") same (path\$4 or guid\$4 or channel\$4 or separat\$4 or tunnel or passage\$4) near5 (beam or light or illuminat\$4) same (spin\$4 or deflect\$4 or rotat\$4 or reflect\$4)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 13:36
12	253	(235/\$.ccls. 359/\$.ccls.) and (read\$4 or scan\$4 or decod\$4) near4 (barcode or "bar code" or indicia or "machine readable") same (path\$4 or channel\$4 or separat\$4 or tunnel or passage\$4) with (direct\$4 or guid\$4) with (beam or light or illuminat\$4 or ray) same (spin\$4 or deflect\$4 or rotat\$4 or reflect\$4)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 13:37
13	399	(235/\$.ccls. 359/\$.ccls.) and (read\$4 or scan\$4 or decod\$4) near4 (barcode or "bar code" or indicia or "machine readable") same (path\$4 or channel\$4 or separat\$4 or tunnel or passage\$4) with (direct\$4 or guid\$4 travel\$ or pass\$4 or enter\$4) with (beam or light or illuminat\$4 or ray) same (spin\$4 or deflect\$4 or rotat\$4 or reflect\$4)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 13:39
11	16	(235/\$.ccls. 359/\$.ccls.) and (read\$4 or scan\$4 or decod\$4) near4 (barcode or "bar code" or indicia or "machine readable") same (path\$4 or channel\$4 or separat\$4 or tunnel or passage\$4) with guid\$4 with (beam or light or illuminat\$4 or ray) same (spin\$4 or deflect\$4 or rotat\$4 or reflect\$4)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 13:39

14	0	(235/\$.ccls. 359/\$.ccls.) and (read\$4 or scan\$4 or decod\$4) near4 (barcode or "bar code" or indicia or "machine readable") same (path\$4 or channel\$4 or separat\$4 or tunnel or passage\$4) with guid\$4 with (beam or light or illuminat\$4 or ray) same (spin\$4 or deflect\$4 or rotat\$4 or reflect\$4) same (parasitic or extraneous or ambient)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 13:39
15	2	(235/\$.ccls. 359/\$.ccls.) and (read\$4 or scan\$4 or decod\$4) near4 (barcode or "bar code" or indicia or "machine readable") same (path\$4 or channel\$4 or separat\$4 or tunnel or passage\$4) with (direct\$4 or travel\$4 guid\$4 or enter\$4 or pass\$4) near5 (beam or light or illuminat\$4 or ray) same (spin\$4 or deflect\$4 or rotat\$4 or reflect\$4) same (parasitic or extraneous or ambient)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 13:41
17	356	(235/\$.ccls. 359/\$.ccls.) and (read\$4 or scan\$4 or decod\$4) near4 (barcode or "bar code" or indicia or "machine readable") same (path\$4 or channel\$4 or separat\$4 or tunnel or passage\$4) with (direct\$4 or travel\$4 guid\$4 or enter\$4 or pass\$4) near5 (beam or light or illuminat\$4 or ray) same (spin\$4 or deflect\$4 or rotat\$4 or reflect\$4)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 13:42
18	399	((235/\$.ccls. 359/\$.ccls.) and (read\$4 or scan\$4 or decod\$4) near4 (barcode or "bar code" or indicia or "machine readable") same (path\$4 or channel\$4 or separat\$4 or tunnel or passage\$4) with (direct\$4 or travel\$4 guid\$4 or enter\$4 or pass\$4) with (beam or light or illuminat\$4 or ray) same (spin\$4 or deflect\$4 or rotat\$4 or reflect\$4)) ((235/\$.ccls. 359/\$.ccls.) and (read\$4 or scan\$4 or decod\$4) near4 (barcode or "bar code" or indicia or "machine readable") same (path\$4 or channel\$4 or separat\$4 or tunnel or passage\$4) with (direct\$4 or travel\$4 guid\$4 or enter\$4 or pass\$4) near5 (beam or light or illuminat\$4 or ray) same (spin\$4 or deflect\$4 or rotat\$4 or reflect\$4))	USPAT; US-PGPUB; EPO; JPO	2004/07/09 13:42
16	399	(235/\$.ccls. 359/\$.ccls.) and (read\$4 or scan\$4 or decod\$4) near4 (barcode or "bar code" or indicia or "machine readable") same (path\$4 or channel\$4 or separat\$4 or tunnel or passage\$4) with (direct\$4 or travel\$4 guid\$4 or enter\$4 or pass\$4) with (beam or light or illuminat\$4 or ray) same (spin\$4 or deflect\$4 or rotat\$4 or reflect\$4)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 14:05
19	111	(235/\$.ccls. 359/\$.ccls.) and (read\$4 or scan\$4 or decod\$4) near4 (barcode or "bar code" or indicia or "machine readable") same (path\$4 or channel\$4 or separat\$4 or tunnel or passage\$4) with (direct\$4 or travel\$4 guid\$4 or enter\$4 or pass\$4) with (beam or light or illuminat\$4 or ray) same (spin\$4 or deflect\$4 or rotat\$4 or reflect\$4) same (insert\$4 or structure or housing or body)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 13:47

20	376	(235/\$.ccls. 359/\$.ccls.) and (read\$4 or scan\$4 or decod\$4) near4 (barcode or "bar code" or indicia or "machine readable") same (path\$4 or channel\$4 tunnel or passage\$4) with (direct\$4 or travel\$4 guid\$4 or pass\$4) with (beam or light or illuminat\$4 or ray) same (spin\$4 or deflect\$4 or rotat\$4 or reflect\$4)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 13:59
21	1	"19845946"	EPO	2004/07/09 13:59
22	384	(235/\$.ccls. 359/\$.ccls.) and (read\$4 or scan\$4 or decod\$4) near4 (barcode or "bar code" or indicia or "machine readable") same (path\$4 or channel\$4 or tunnel or passage\$4) with (direct\$4 or travel\$4 guid\$4 or enter\$4 or pass\$4) with (beam or light or illuminat\$4 or ray) same (spin\$4 or deflect\$4 or rotat\$4 or reflect\$4)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 14:05
23	135	(235/462.01.ccls. 235/454.ccls. 235/462.36.ccls. 235/462.38.ccls. 235/462.40.ccls. 235/473.ccls. 359/196.ccls. 359/199.ccls. 359/200.ccls. 359/226.ccls.) and (read\$4 or scan\$4 or decod\$4) near4 (barcode or "bar code" or indicia or "machine readable") same (path\$4 or channel\$4 or separat\$4 or tunnel or passage\$4) with (direct\$4 or travel\$4 guid\$4 or enter\$4 or pass\$4) with (beam or light or illuminat\$4 or ray) same (spin\$4 or deflect\$4 or rotat\$4 or reflect\$4)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 14:07
-	115	235/\$.ccls. and scanner same channel same light	USPAT; US-PGPUB; EPO; JPO	2004/07/09 13:25
-	37	235/\$.ccls. and scanner same channel same light same (barcode or "bar code")	USPAT; US-PGPUB; EPO; JPO	2004/07/09 09:09
-	7	235/\$.ccls. and scanner same channel same light same (barcode or "bar code") same (spin\$4 or deflect\$4 or rotat\$4)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 09:12
-	306	(read\$4 or scan\$4) same (pathway or guid\$4 or channel) same (beam or light or illuminat\$4) same (barcode or "bar code") same (spin\$4 or deflect\$4 or rotat\$4 or reflect\$4)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 09:17
-	236	(read\$4 or scan\$4) with (barcode or "bar code" or indicia or "machine readable") same (pathway or guid\$4 or channel) with (beam or light or illuminat\$4) same (spin\$4 or deflect\$4 or rotat\$4 or reflect\$4)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 09:49
-	83	(read\$4 or scan\$4) with (barcode or "bar code" or indicia or "machine readable") same (pathway or guid\$4 or channel\$4 or separat\$4) with (beam or light or illuminat\$4) same (spin\$4 or deflect\$4 or rotat\$4 or reflect\$4) same (housing or body or chasis)	USPAT; US-PGPUB; EPO; JPO	2004/07/09 13:25
-	1	4916318.pn.	USPAT; US-PGPUB; EPO; JPO	2004/07/09 11:29